




..... **BONE SURGERY**



Amputating and resection saws



CHARRIÈRE

350 mm - 13 $\frac{3}{4}$ "

DP-786-14-01



12 mm

DP-786-14-02

15 mm

DP-786-14-03

Spare saw blades



**HELFERICH-
BIER**

390 mm - 15 $\frac{1}{2}$ "

DP-786-14-04



3 mm

DP-786-14-05

5 mm

DP-786-14-06

7 mm

DP-786-14-07

Spare saw blades

Amputating and resection saws

SATTERLEE

310 mm - 12 $\frac{1}{4}$ "

DP-786-14-08

LANGENBECK

230 mm - 9"

DP-786-14-09

CHARRIÈRE

270 mm - 10 $\frac{3}{4}$ "


DP-786-14-10

300 mm - 12"

DP-786-14-11

340 mm - 13 $\frac{1}{2}$ "

DP-786-14-12

Rasps, files

PUTTI

270 mm - 10 $\frac{3}{4}$ "	DP-786-14-13	
300 mm - 12"		DP-786-14-14



280 mm - 11"
DP-786-14-15

semicircular

245 mm - 9 $\frac{3}{4}$ "
x = 13 mm
DP-786-14-16

semicircular

220 mm - 8 $\frac{3}{4}$ "
x = 20 mm
DP-786-14-17

flat

Mallets

DOYEN

	195 mm - 7 ³ / ₄ "
25 mm Ø - 120 g	DP-786-14-18
30 mm Ø - 180 g	DP-786-14-19
35 mm Ø - 260 g	DP-786-14-20


COLLIN

200 mm - 8 "
30 mm Ø - 220 g
DP-786-14-21

1:2


HAJEK

215 mm - 8 ¹ / ₂ "
27 mm Ø - 140 g
DP-786-14-22


1:2


KIRK

190 mm - 7 ¹ / ₂ "
38 mm Ø - 750 g
DP-786-14-23

1:2

Mallets



PARTSCH
 180 mm - 7"
 22 mm Ø - 200 g
DP-786-14-24

1:2



LUCAE
 190 mm - 7½"
 19 mm Ø - 230 g **DP-786-14-25**
 25 mm Ø - 260 g **DP-786-14-26**

1:2

Mallets

BERGMANN

 245 mm - 9 $\frac{3}{4}$ "

45 mm Ø - 300 g

DP-786-14-27

OMBREDANNE

 240 mm - 9 $\frac{1}{2}$ "

40 mm Ø - 550 g

DP-786-14-28

HEATH

40 mm Ø - 700 g

180 mm - 7"

DP-786-14-29

45 mm Ø - 1000 g

200 mm - 8"

DP-786-14-30
Copper filled head

Mallets



COTTLE

185 mm - 7 1/4 "

30 mm Ø - 240 g

DP-786-14-33

1 side flat / 1 side convex

190 mm - 7 1/2 "

25 mm Ø - 205 g

DP-786-14-31

Solid steel, with plastic faces

DP-786-14-32

Spare faces, 1 pair



280 mm - 11 "

35 mm Ø - 450 g

DP-786-14-34

50 mm Ø - 900 g

DP-786-14-35

Mallets

WILLIGER

	240 mm – 9½"
28 mm Ø – 340 g	DP-786-14-36
30 mm Ø – 400 g	DP-786-14-37

lead filled


1:2

WILLIGER

165 mm – 6½"
20 mm Ø – 140 g
DP-786-14-38



1:2

MEAD

170 mm – 6¾"
26 mm Ø – 320 g
DP-786-14-39

Steel solid, with plastic faces
DP-786-14-40
Spare faces, 1 pair

Mallets



225 mm – 8 $\frac{3}{4}$ "

37 mm Ø – 370 g

DP-786-14-41

Head solid steel, with Ferrozell faces



240 mm – 9 $\frac{1}{2}$ "

30 mm Ø – 480 g


DP-786-14-43

Head solid steel, Ferrozell handle

DP-786-14-42

Spare faces, 1 pair

Mallets



1:2

	42 mm Ø - 250 g	42 mm Ø - 400 g
260 mm - 10 $\frac{1}{4}$ "	DP-786-14-44	DP-786-14-45

Ferrozell, without lead

Plastic, lead filled



1:2


	30 mm Ø - 450 g	50 mm Ø - 900 g
265 mm - 10 $\frac{1}{2}$ "	DP-786-14-46	DP-786-14-47

Bone chisels and gouges




1:2

185 mm - 7 1/4"

DP-786-14-52


	5 mm	10 mm	16 mm	25 mm
85 mm - 3 1/4"	DP-786-14-48	DP-786-14-49	DP-786-14-50	DP-786-14-51

Chisel blades, interchangeable


	5 mm	10 mm	16 mm	25 mm
85 mm - 3 1/4"	DP-786-14-53	DP-786-14-54	DP-786-14-55	DP-786-14-56

Osteotome blades, interchangeable


1:2

90 mm - 3 1/2"

DP-786-14-57
Key

Bone chisels and gouges



	135 mm - 5 1/4"	135 mm - 5 1/4"	135 mm - 5 1/4"
8 mm	DP-786-14-58	DP-786-14-63	DP-786-14-68
10 mm	DP-786-14-59	DP-786-14-64	DP-786-14-69
12 mm	DP-786-14-60	DP-786-14-65	DP-786-14-70
14 mm	DP-786-14-61	DP-786-14-66	DP-786-14-71
16 mm	DP-786-14-62	DP-786-14-67	DP-786-14-72


LUCAS

	160 mm - 6 1/4"	160 mm - 6 1/4"
3 mm		DP-786-14-75
4 mm	DP-786-14-73	DP-786-14-76
5 mm		DP-786-14-77
6 mm	DP-786-14-74	DP-786-14-78

Chisel
Gouge

ALEXANDER

	180 mm - 7"	180 mm - 7"
4 mm	DP-786-14-79	DP-786-14-85
6 mm	DP-786-14-80	DP-786-14-86
8 mm	DP-786-14-81	DP-786-14-87
10 mm	DP-786-14-82	DP-786-14-88
12 mm	DP-786-14-83	DP-786-14-89
14 mm	DP-786-14-84	DP-786-14-90

Bone chisels and gouges


PARTSCH

	115 mm - 4½"	135 mm - 5¼"	170 mm - 6¾"
2 mm	DP-786-14-91	DP-786-14-98	DP-786-14-105
3 mm	DP-786-14-92	DP-786-14-99	DP-786-14-106
4 mm	DP-786-14-93	DP-786-14-100	DP-786-14-107
5 mm	DP-786-14-94	DP-786-14-101	DP-786-14-108
6 mm	DP-786-14-95	DP-786-14-102	DP-786-14-109
7 mm	DP-786-14-96	DP-786-14-103	DP-786-14-110
8 mm	DP-786-14-97	DP-786-14-104	DP-786-14-111

	115 mm - 4½"	135 mm - 5¼"	170 mm - 6¾"
DP-786-14-112	DP-786-14-119	DP-786-14-126	
DP-786-14-113	DP-786-14-120	DP-786-14-127	
DP-786-14-114	DP-786-14-121	DP-786-14-128	
DP-786-14-115	DP-786-14-122	DP-786-14-129	
DP-786-14-116	DP-786-14-123	DP-786-14-130	
DP-786-14-117	DP-786-14-124	DP-786-14-131	
DP-786-14-118	DP-786-14-125	DP-786-14-132	

Bone chisels and gouges


LAMBOTTE

	250 mm - 9 ³ / ₄ "	250 mm - 9 ³ / ₄ "
6 mm	DP-786-14-133	DP-786-14-144
8 mm	DP-786-14-134	DP-786-14-145
10 mm	DP-786-14-135	DP-786-14-146
13 mm	DP-786-14-136	DP-786-14-147
15 mm	DP-786-14-137	DP-786-14-148
20 mm	DP-786-14-138	DP-786-14-149
25 mm	DP-786-14-139	DP-786-14-150
30 mm	DP-786-14-140	DP-786-14-151
38 mm	DP-786-14-141	DP-786-14-152
44 mm	DP-786-14-142	DP-786-14-153
50 mm	DP-786-14-143	DP-786-14-154


MINI-LAMBOTTE

	125 mm - 5 "	170 mm - 6 ³ / ₄ "
3 mm	DP-786-14-155	DP-786-14-162
4 mm	DP-786-14-156	DP-786-14-163
6 mm	DP-786-14-157	DP-786-14-164
8 mm	DP-786-14-158	DP-786-14-165
10 mm	DP-786-14-159	DP-786-14-166
12 mm	DP-786-14-160	DP-786-14-167
15 mm	DP-786-14-161	DP-786-14-168

Bone chisels and gouges



LEXER

	220 mm - 8 $\frac{3}{4}$ "	300 mm - 12"	220 mm - 8 $\frac{3}{4}$ "	300 mm - 12"
7 mm	DP-786-14-169	DP-786-14-175	DP-786-14-181	DP-786-14-187
10 mm	DP-786-14-170	DP-786-14-176	DP-786-14-182	DP-786-14-188
15 mm	DP-786-14-171	DP-786-14-177	DP-786-14-183	DP-786-14-189
20 mm	DP-786-14-172	DP-786-14-178	DP-786-14-184	DP-786-14-190
25 mm	DP-786-14-173	DP-786-14-179	DP-786-14-185	DP-786-14-191
30 mm	DP-786-14-174	DP-786-14-180	DP-786-14-186	DP-786-14-192

Ferrozell handle

MINI-LEXER

	180 mm - 7"	180 mm - 7"
4 mm	DP-786-14-193	DP-786-14-198
6 mm	DP-786-14-194	DP-786-14-199
8 mm	DP-786-14-195	DP-786-14-200
10 mm	DP-786-14-196	DP-786-14-201
12 mm	DP-786-14-197	DP-786-14-202

Ferrozell handle

Bone chisels and gouges



1:2

Bone chisels and gouges




**SMITH-
PETERSEN**

	200 mm – 8 "	200 mm – 8 "	200 mm – 8 "	200 mm – 8 "
6 mm	DP-786-14-233	DP-786-14-240		
9 mm	DP-786-14-234	DP-786-14-241	DP-786-14-247	DP-786-14-251
13 mm	DP-786-14-235	DP-786-14-242		
16 mm	DP-786-14-236	DP-786-14-243	DP-786-14-248	DP-786-14-252
19 mm	DP-786-14-237	DP-786-14-244	DP-786-14-249	DP-786-14-253
25 mm	DP-786-14-238	DP-786-14-245	DP-786-14-250	DP-786-14-254
32 mm	DP-786-14-239	DP-786-14-246		

1:2

Bone chisels and gouges





HIBBS

	240 mm - 9 1/2"	240 mm - 9 1/2"	240 mm - 9 1/2"	240 mm - 9 1/2"	240 mm - 9 1/2"
6 mm	DP-786-14-255	DP-786-14-260	DP-786-14-265	DP-786-14-270	DP-786-14-275
13 mm	DP-786-14-256	DP-786-14-261	DP-786-14-266	DP-786-14-271	DP-786-14-276
19 mm	DP-786-14-257	DP-786-14-262	DP-786-14-267	DP-786-14-272	DP-786-14-277
25 mm	DP-786-14-258	DP-786-14-263	DP-786-14-268	DP-786-14-273	DP-786-14-278
32 mm	DP-786-14-259	DP-786-14-264	DP-786-14-269	DP-786-14-274	DP-786-14-279

1:2

Bone chisels and gouges



Chisels, osteotomes for rhinoplastic

KILIAN

160 mm – 6¼"

5 mm

DP-786-14-289

**KILIAN-
CLAUS**

160 mm – 6¼"

5 mm

DP-786-14-290

COTTLE

150 mm – 6"

7 mm

DP-786-14-291

12 mm

DP-786-14-292

COTTLE

190 mm – 7½"

4 mm


DP-786-14-293

6 mm



180 mm – 7"

DP-786-14-294

FOMON


4 mm

5 mm

6 mm

7 mm





8 mm

170 mm – 6¾"

DP-786-14-295
DP-786-14-296
DP-786-14-297
DP-786-14-298
DP-786-14-299

Chisels, osteotomes for rhinoplastic



CINELLI				
	10 mm	12 mm	14 mm	16 mm
180 mm - 7"	DP-786-14-300	DP-786-14-301	DP-786-14-302	DP-786-14-303




COTTLE				
	4 mm	7 mm	9 mm	12 mm
180 mm - 7"	DP-786-14-304	DP-786-14-305	DP-786-14-306	DP-786-14-307




COTTLE				
	4 mm	7 mm	9 mm	12 mm
180 mm - 7"	DP-786-14-308	DP-786-14-309	DP-786-14-310	DP-786-14-311

Chisels, osteotomes for rhinoplastic



COTTLE

	6 mm	16 mm	16 mm
180 mm - 7"	DP-786-14-312	DP-786-14-313	DP-786-14-314



RUBIN

	10 mm	12 mm	14 mm
180 mm - 7"	DP-786-14-315	DP-786-14-316	DP-786-14-317

Chisels, osteotomes for rhinoplastic


COTTLE				
	4 mm	7 mm	9 mm	12 mm
200 mm – 8"	DP-786-14-318	DP-786-14-319	DP-786-14-320	DP-786-14-321

1:2



WALTER		
	3 mm	4,5 mm
190 mm – 7½"	DP-786-14-322	DP-786-14-323

1:2





SHEEHAN				
	2 mm	4 mm	6 mm	8 mm
160 mm – 6¼"	DP-786-14-324	DP-786-14-325	DP-786-14-326	DP-786-14-327

1:2

			
10 mm	12 mm	15 mm	18 mm
DP-786-14-328	DP-786-14-329	DP-786-14-330	DP-786-14-331

Chisels, osteotomes for rhinoplastic



Osteotomes for maxillo-facial surgery



OBWEGESER

235 mm – 9 1/4"

11 mm

DP-786-14-338

1:2



OBWEGESER

7 mm

10 mm

215 mm – 8 1/2"

DP-786-14-339

DP-786-14-340

1:2

1:2

Tampers



1:2



1:1



1:1



1:1



1:1



1:1



1:1



1:1

	2 mm Ø	3 mm Ø	4 mm Ø	5 mm Ø	6 mm Ø	8 mm Ø	10 mm Ø
155 mm - 6"	DP-786-14-341	DP-786-14-342	DP-786-14-343	DP-786-14-344	DP-786-14-345	DP-786-14-346	DP-786-14-347



1:2

PASSOW


1:1



1:1

	Fig. 1	Fig. 2
	2.5 mm x 2.5 mm	3.5 mm x 3.5 mm
120 mm - 4 3/4"	DP-786-14-348	DP-786-14-349



1:2

CASPAR


1:1



1:1



1:1

	3 mm Ø	5 mm Ø	8 mm Ø
200 mm - 8"	DP-786-14-350	DP-786-14-351	DP-786-14-352



1:2



1:1



1:1



1:1

	12 mm Ø	14 mm Ø	16 mm Ø
200 mm - 8"	DP-786-14-353	DP-786-14-354	DP-786-14-355

Bone curettes


VOLKMANN	 1:1	 1:1	 1:1	 1:1	 1:1
	Fig. 0000	Fig. 000	Fig. 00	Fig. 0	Fig. 1
	170 mm – 6 $\frac{3}{4}$ "	DP-786-14-356	DP-786-14-357	DP-786-14-358	DP-786-14-359

 1:1	 1:1	 1:1	 1:1	 1:1
Fig. 2	Fig. 3	Fig. 4	Fig. 5	Fig. 6
DP-786-14-361	DP-786-14-362	DP-786-14-363	DP-786-14-364	DP-786-14-365



SCHEDE	 1:1	 1:1	 1:1	 1:1	 1:1
	Fig. 000	Fig. 00	Fig. 0	Fig. 1	Fig. 2
	170 mm – 6 $\frac{3}{4}$ "	DP-786-14-366	DP-786-14-367	DP-786-14-368	DP-786-14-369

 1:1	 1:1
Fig. 3	Fig. 4
DP-786-14-371	DP-786-14-372

Bone curettes


SPRATT	 1:1	 1:1	 1:1
	Fig. 0000	Fig. 000	Fig. 00
	170 mm - 6 3/4" ⁿ	DP-786-14-373	DP-786-14-374

 1:1	 1:1	 1:1
Fig. 0	Fig. 1	Fig. 2
DP-786-14-376	DP-786-14-377	DP-786-14-378

 1:1	 1:1	 1:1
Fig. 3	Fig. 4	Fig. 5
DP-786-14-379	DP-786-14-380	DP-786-14-381



BRUNS	 1:1	 1:1	 1:1
	Fig. 000	Fig. 00	Fig. 0
	160 mm – 6¼"	DP-786-14-382	DP-786-14-383

 1:1	 1:1	 1:1
Fig. 1	Fig. 2	Fig. 3
DP-786-14-385	DP-786-14-386	DP-786-14-387

 1:1	 1:1	 1:1
Fig. 4	Fig. 5	Fig. 6
DP-786-14-388	DP-786-14-389	DP-786-14-390

Bone curettes


VOLKMANN	 1:1	 1:1	 1:1	 1:1	 1:1	 1:1
	Fig. 0000	Fig. 000	Fig. 00	Fig. 0	Fig. 1	Fig. 2
185 mm – 7 1/4"	DP-786-14-391	DP-786-14-392	DP-786-14-393	DP-786-14-394	DP-786-14-395	DP-786-14-396

oval, with plastic handle

				
Fig. 3	Fig. 4	Fig. 5	Fig. 6	
190 mm – 7½"	DP-786-14-397	DP-786-14-398	DP-786-14-399	DP-786-14-400

 1:1	 1:1	 1:1	 1:1	 1:1	
	Fig. 0	Fig. 1	Fig. 2	Fig. 3	Fig. 4
275 mm – 10¾"	DP-786-14-401	DP-786-14-402	DP-786-14-403	DP-786-14-404	DP-786-14-405

Bone curettes

BRUNS


	Fig. 0000	Fig. 000	Fig. 00	Fig. 0	Fig. 1
230 mm - 9 "	DP-786-14-406	DP-786-14-407	DP-786-14-408	DP-786-14-409	DP-786-14-410

straight
BRUNS


	Fig. 2	Fig. 3	Fig. 4	Fig. 5	Fig. 6
230 mm - 9 "	DP-786-14-411	DP-786-14-412	DP-786-14-413	DP-786-14-414	DP-786-14-415

straight

BRUNS


	Fig. 0000	Fig. 000	Fig. 00	Fig. 0	Fig. 1
230 mm - 9 "	DP-786-14-416	DP-786-14-417	DP-786-14-418	DP-786-14-419	DP-786-14-420

curved
BRUNS


	Fig. 2	Fig. 3	Fig. 4	Fig. 5	Fig. 6
230 mm - 9 "	DP-786-14-421	DP-786-14-422	DP-786-14-423	DP-786-14-424	DP-786-14-425

curved

Bone curettes

HALLE

	Fig. 1	Fig. 2	Fig. 3
210 mm – 8 ¼"	DP-786-14-426	DP-786-14-427	DP-786-14-428


flexible

UFFENORDE

	Fig. 1	Fig. 2
170 mm – 6 ¾"	DP-786-14-429	DP-786-14-430


BRUNS

	Fig. 00	Fig. 0	Fig. 1	Fig. 2
230 mm – 9"	DP-786-14-431	DP-786-14-432	DP-786-14-433	DP-786-14-434

solid


Fig. 3	Fig. 4	Fig. 5	Fig. 6
DP-786-14-435	DP-786-14-436	DP-786-14-437	DP-786-14-438

Bone curettes

SCHROEDER


	Fig. 1	Fig. 2	Fig. 3
300 mm - 12"	DP-786-14-439	DP-786-14-440	DP-786-14-441


sharp / rigid


Fig. 4	Fig. 5	Fig. 6
DP-786-14-442	DP-786-14-443	DP-786-14-444


SIMON

	Fig. 0000	Fig. 000	Fig. 00	Fig. 0
240 mm - 9½"	DP-786-14-445	DP-786-14-446	DP-786-14-447	DP-786-14-448

sharp / rigid


SIMON


	Fig. 1	Fig. 2	Fig. 3
250 mm - 9¾"	DP-786-14-449	DP-786-14-450	DP-786-14-451

sharp / rigid


Fig. 4	Fig. 5	Fig. 6
DP-786-14-452	DP-786-14-453	DP-786-14-454

Bone curettes


	 1:1	 1:1	 1:1
	Fig. 000	Fig. 00	Fig. 0
200 mm – 8"	DP-786-14-455	DP-786-14-456	DP-786-14-457

straight

 1:1	 1:1	 1:1
Fig. 1	Fig. 2	Fig. 3
DP-786-14-458	DP-786-14-459	DP-786-14-460

 1:1	 1:1	 1:1
Fig. 4	Fig. 5	Fig. 6
DP-786-14-461	DP-786-14-462	DP-786-14-463



	 1:1	 1:1	 1:1
	Fig. 000	Fig. 00	Fig. 0
200 mm – 8"	DP-786-14-464	DP-786-14-465	DP-786-14-466

curved

 1:1	 1:1	 1:1
Fig. 1	Fig. 2	Fig. 3
DP-786-14-467	DP-786-14-468	DP-786-14-469

 1:1	 1:1	 1:1
Fig. 4	Fig. 5	Fig. 6
DP-786-14-470	DP-786-14-471	DP-786-14-472

Bone curettes


	Fig. 000	Fig. 00	Fig. 0	Fig. 1
	3.6 mm	4.4 mm	5.2 mm	6.8 mm
250 mm - 9 3/4"	DP-786-14-473	DP-786-14-474	DP-786-14-475	DP-786-14-476

straight



DAUBENSPECK

	Fig. 0000	Fig. 000	Fig. 00	Fig. 0
	2.8 mm	3.6 mm	4.4 mm	5.2 mm
200 mm - 8"	DP-786-14-477	DP-786-14-478	DP-786-14-479	DP-786-14-480

Bone curettes




SCOVILLE	 1:1	 1:1	 1:1
	Fig. 1	Fig. 2	Fig. 3
250 mm - 9 3/4"	DP-786-14-481	DP-786-14-482	DP-786-14-483

oval



LEMPERT	 1:1	 1:1	 1:1	 1:1	 1:1
	Fig. 00000	Fig. 0000	Fig. 000	Fig. 00	Fig. 0
	1.8 mm	2.0 mm	2.4 mm	2.6 mm	2.8 mm
215 mm - 8 1/2"	DP-786-14-484	DP-786-14-485	DP-786-14-486	DP-786-14-487	DP-786-14-488

Bone curettes, double-ended


Bone curettes, double-ended

MARTINI

	Fig. 00	Fig. 0	Fig. 1
	Fig. 0	Fig. 1	Fig. 2
135 mm – 5 1/4"	DP-786-14-496	DP-786-14-497	DP-786-14-498

1:2

MARTINI

	Fig. 00	Fig. 0	Fig. 1
	Fig. 00	Fig. 0	Fig. 1
155 mm – 6"	DP-786-14-499	DP-786-14-500	DP-786-14-501

1:2

1:2

WILLIGER

	Fig. 00	Fig. 0	Fig. 1
	Fig. 0	Fig. 1	Fig. 2
135 mm – 5 1/4"	DP-786-14-502	DP-786-14-503	DP-786-14-504

WILLIGER

	Fig. 00	Fig. 0	Fig. 1
	Fig. 00	Fig. 0	Fig. 1
155 mm – 6"	DP-786-14-505	DP-786-14-506	DP-786-14-507

1:2

Periosteal elevators for maxillo-facial surgery


Periosteal elevators and awls for maxillo-facial surgery

OBWEGESER

175 mm - 7"

DP-786-14-517

OBWEGESER

230 mm - 9"

DP-786-14-518

OBWEGESER

180 mm - 7"



DP-786-14-519

OBWEGESER

140 mm - 5½"

DP-786-14-520

Periosteal raspatories – Elevators




Periosteal raspatories – Elevators

QUERVAIN


195 mm – 7 $\frac{3}{4}$ "

x = 6 mm

DP-786-14-525

TRELAT

150 mm – 6"






x = 8 mm



DP-786-14-526

KÖNIG

x = 4.5 mm


x = 4.5 mm

155 mm – 6" **DP-786-14-527**
DP-786-14-528

Periosteal raspatories – Elevators



Periosteal raspatories – Elevators


Periosteal raspatories – Elevators



WILLIGER

	x = 5 mm
130 mm – 5"	DP-786-14-546



WILLIGER

	160 mm – 6 1/4"
x = 4 mm	DP-786-14-547
x = 6 mm	DP-786-14-548



WILLIGER

	x = 5 mm	x = 6.5 mm
160 mm – 6 1/4"	DP-786-14-549	DP-786-14-550



FARABEUF-
COLLIN

	x = 11 mm	x = 11 mm
160 mm – 6 1/4"	DP-786-14-551	DP-786-14-552



Periosteal raspatories – Elevators



1:1



OBWEGESER

	2.5 mm	4 mm
150 mm – 6"	DP-786-14-553	DP-786-14-554



1:1

OBWEGESER

185 mm – 7 1/4"
DP-786-14-555



1:1

OBWEGESER

185 mm – 7 1/4"
DP-786-14-556

Periosteal raspatories – Elevators



SEMB

175 mm – 7"	210 mm – 8¼"	175 mm – 7"	210 mm – 8¼"	225 mm – 8¾"	220 mm – 8¾"
12 mm	12 mm	13 mm	13 mm	13 mm	15 mm
DP-786-14-557	DP-786-14-558	DP-786-14-559	DP-786-14-560	DP-786-14-561	DP-786-14-562

Periosteal raspatories – Elevators



HOWARTH

215 mm – 8½"

DP-786-14-563

sharp / blunt




LANGEN-
BECK

1:2

180 mm – 7"


DP-786-14-564



1:2

190 mm – 7½"

DP-786-14-565




1:2

ALEXANDER

200 mm – 8"

DP-786-14-566


Periosteal raspatories – Elevators



Periosteal raspatories – Elevators



1:2




MARTIN-LANGENBECK

190 mm – 7½"	DP-786-14-571	DP-786-14-572	DP-786-14-573	DP-786-14-574
--------------	---------------	---------------	---------------	---------------



1:2



MARTIN-HOEN

160 mm – 6¼"	DP-786-14-575		
185 mm – 7¼"		DP-786-14-576	
190 mm – 7½"			DP-786-14-577


Periosteal raspatories – Elevators



1:2


MARTIN-CUSHING

	x = 4 mm	x = 5 mm
175 mm – 7"	DP-786-14-578	DP-786-14-579




MARTIN-CUSHING

	x = 6 mm	x = 7 mm
195 mm – 7¾"	DP-786-14-580	DP-786-14-581



MARTIN-CUSHING

	x = 8 mm
170 mm – 6¾"	DP-786-14-582



Periosteal raspatories – Elevators

COBB



	280 mm – 11"
x = 10 mm	DP-786-14-595
x = 13 mm	DP-786-14-596
x = 19 mm	DP-786-14-597
x = 25 mm	DP-786-14-598
x = 32 mm	DP-786-14-599

COBB

	290 mm – 11½"	290 mm – 11½"
x = 10 mm	DP-786-14-583	DP-786-14-589
x = 13 mm	DP-786-14-584	DP-786-14-590
x = 19 mm	DP-786-14-585	DP-786-14-591
x = 25 mm	DP-786-14-586	DP-786-14-592
x = 32 mm	DP-786-14-587	DP-786-14-593
x = 38 mm	DP-786-14-588	DP-786-14-594

Spinal raspatory
Aluminium handle
Steel


Periosteal raspatories – Elevators

KEY			
			
	180 mm – 7"	190 mm – 7½"	190 mm – 7½"
	x = 6 mm	x = 10 mm	x = 12 mm
	DP-786-14-600	DP-786-14-601	DP-786-14-602
			
	200 mm – 8"	210 mm – 8¼"	
	x = 19 mm	x = 25 mm	
	DP-786-14-603	DP-786-14-604	


Periosteal raspatories




1:2



1:1



1:1




1:1

	Fig. 1	Fig. 2	Fig. 3
	14 mm	14 mm	20 mm
200 mm – 8"	DP-786-14-605	DP-786-14-606	DP-786-14-607
<i>Ferrozell handle</i>	<i>straight</i>	<i>curved</i>	<i>straight</i>



1:2



1:1



1:1



1:1

	Fig. 1	Fig. 2	Fig. 3
	6 mm	6 mm	3 mm
180 mm – 7"	DP-786-14-608	DP-786-14-609	DP-786-14-610
<i>Ferrozell handle</i>			

Bone levers



HOHMANN

220 mm - 8 3/4"	240 mm - 9 1/2"	240 mm - 9 1/2"	240 mm - 9 1/2"
x = 8 mm	x = 18 mm	x = 43 mm	x = 70 mm
DP-786-14-611	DP-786-14-612	DP-786-14-613	DP-786-14-614

Bone levers

HOHMANN


245 mm - 9 $\frac{3}{4}$ "	260 mm - 10 $\frac{1}{4}$ "	280 mm - 11"	265 mm - 10 $\frac{1}{2}$ "	260 mm - 10 $\frac{1}{4}$ "
x = 43 mm	x = 22 mm	x = 33 mm	x = 24 mm	x = 22 mm
DP-786-14-615	DP-786-14-616	DP-786-14-617	DP-786-14-618	DP-786-14-619

Bone levers



MINI-
HOHMANN

	6 mm	8 mm
160 mm - 6 1/4"	DP-786-14-620	DP-786-14-621



1:1



1:1



1:2



1:1




1:1



1:1

	2.8 mm	4.5 mm	6 mm
140 mm - 5 1/2"	DP-786-14-622	DP-786-14-623	DP-786-14-624



BRISTOW

230 mm - 9"	DP-786-14-626
-------------	---------------

1:2



LANE

210 mm - 8 1/4"	DP-786-14-625
-----------------	---------------

1:2

Bone levers


1:2

	x = 15 mm
150 mm - 6"	DP-786-14-627



1:2

	x = 16 mm
160 mm - 6 1/4"	DP-786-14-628



1:2

	x = 15 mm
160 mm - 6 1/4"	DP-786-14-629


SHOULDER





32 x 81 mm	DP-786-14-630
38 x 81 mm	DP-786-14-631


FUKUDA



x = 32 mm	DP-786-14-632
x = 40 mm	DP-786-14-633


FUKUDA

x = 35 mm	DP-786-14-634
-----------	----------------------

Bone levers

COBRA

	x = 32 mm	x = 32 mm	x = 32 mm	x = 32 mm
260 mm - 10¼"	DP-786-14-635	DP-786-14-636	DP-786-14-637	DP-786-14-638


COBRA

	x = 44 mm	x = 44 mm
266 mm - 10½"	DP-786-14-639	DP-786-14-640

CHANDLER

	180 mm - 7"	200 mm - 8"	230 mm - 9"	250 mm - 9¾"
x = 13 mm	DP-786-14-641			
x = 19 mm		DP-786-14-642		
x = 25 mm			DP-786-14-643	
x = 32 mm				DP-786-14-644



Bone levers



BENNETT

	240 mm - 9 1/2"
x = 43 mm	DP-786-14-645
x = 60 mm	DP-786-14-646



MURPHY-LANE

300 mm - 12"
DP-786-14-647

Luxation lever

Bone levers



BLOUNT

	260 mm - 10 $\frac{1}{4}$ "	260 mm - 10 $\frac{1}{4}$ "
	x = 38 mm	x = 42 mm
	DP-786-14-648	DP-786-14-649




**LANGE-
HOHMANN MOD.**

	265 mm - 10 $\frac{1}{2}$ "	280 mm - 11 "
	x = 30 mm	x = 33 mm
	DP-786-14-650	DP-786-14-651


Bone levers

SMILIE

x	y		
19 mm	32 mm	DP-786-14-652	
19 mm	45 mm		DP-786-14-653


SMILIE

x	y		
19 mm	60 mm	DP-786-14-654	
13 mm	15 mm		DP-786-14-655


SMILIE

x	y	
13 mm	55 mm	DP-786-14-656


Bone levers



**HOHMANN-
WILLIGER**

160 mm - 6 1/4"

DP-786-14-657



BLOUNT

175 mm - 7"

DP-786-14-658



TAYLOR

a = 75 mm - b = 30 mm

a = 100 mm - b = 30 mm

165 mm - 6 1/2"

DP-786-14-659

DP-786-14-660

Meniscotomy knives



Tendon strippers



	 1:1	 1:1	 1:1
	4.0 mm Ø	4.5 mm Ø	5.5 mm Ø
230 mm - 9"	DP-786-14-665	DP-786-14-666	DP-786-14-667

Malleable shaft

1:2



BUNNELL	 1:1	 1:1	 1:1
	Fig. 1	Fig. 2	Fig. 3
150 mm - 6"	DP-786-14-668	DP-786-14-669	DP-786-14-670

 1:1	 1:1
Fig. 4	Fig. 5
DP-786-14-671	DP-786-14-672

1:2

Tendon strippers

FISCHER

310 mm – 12 1/4"

DP-786-14-673

BUNNELL

230 mm – 9"

DP-786-14-674
Tendon passer



**KLEINERT-
KUTZ**

200 mm – 8"

20 mm Ø

DP-786-14-675

Tendon holding forceps


			
BRAND	1:1	1:1	1:1
	150 mm - 6"	190 mm - 7½"	240 mm - 9½"
	DP-786-14-676	DP-786-14-677	DP-786-14-678

straight

		
BRAND	1:1	1:1
	150 mm - 6"	185 mm - 7¼"
	DP-786-14-679	DP-786-14-680

curved

			
BRAND	1:1	1:1	1:1
	150 mm - 6"	190 mm - 7½"	240 mm - 9½"
	DP-786-14-681	DP-786-14-682	DP-786-14-683

straight, with ratchet


130 mm - 5"
DP-786-14-684

1:2



1:2

		
	1:1	1:1
150 mm - 6"	DP-786-14-685	DP-786-14-686



Bone rongeurs

LUER

	Fig. 1	Fig. 2
150 mm - 6"	DP-786-14-687	DP-786-14-688


LUER

170 mm - 6 3/4"	DP-786-14-689	DP-786-14-690
-----------------	----------------------	----------------------


**MINI-
FRIEDMANN**

120 mm - 4 3/4"	DP-786-14-691
-----------------	----------------------


FRIEDMANN


140 mm - 5 1/2"	DP-786-14-692
-----------------	----------------------

Bone rongeurs




BLUMENTHAL

	Fig. 1	Fig. 2	Fig. 3
155 mm - 6"	DP-786-14-693	DP-786-14-694	DP-786-14-695



JANSEN

	Fig. 1	Fig. 2
180 mm - 7"	DP-786-14-696	DP-786-14-697



Bone rongeurs

JANSEN

190 mm – 7½"

DP786-14-698

ADSON

200 mm – 8"

DP786-14-699

BACON

210 mm – 8¼"

DP786-14-700

Bone rongeurs

LEMPERT

190 mm - 7½"


DP-786-14-701
DP-786-14-702

STELLBRINK

175 mm - 7"


slightly curved
strongly curved

Bone rongeurs

OLIVECRONA

205 mm - 8"

DP-786-14-705

HARTMANN

175 mm - 7"

DP-786-14-706

Bone rongeurs

MEAD

165 mm - 6½"

DP-786-14-707

CLEVELAND

170 mm - 6¾"

DP-786-14-708

CLEVELAND

140 mm - 5½"

DP-786-14-709

Bone rongeurs


Bone rongeurs

BEYER

180 mm - 7"

DP-786-14-714

RUSKIN

180 mm - 7"

DP-786-14-715
DP-786-14-716

MAYFIELD

175 mm - 7"

DP-786-14-717

Bone rongeurs


**STILLE-
RUSKIN**

230 mm - 9"


DP-786-14-718
DP-786-14-719

STILLE

230 mm - 9"



4 mm

6 mm

8 mm

DP-786-14-720
DP-786-14-721
DP-786-14-722

Bone rongeurs



	 1:1	 1:1	 1:1	 1:1
LEKSELL				
	2 mm	3 mm	4 mm	5 mm
240 mm - 9 1/2"	DP-786-14-723	DP-786-14-724	DP-786-14-725	DP-786-14-726

 1:1	 1:1
6 mm	8 mm
DP-786-14-727	DP-786-14-728

Bone rongeurs

ECHLIN

230 mm - 9"



DP-786-14-729

DP-786-14-730

FRYKHOLM

240 mm - 9½"

DP-786-14-731

Bone rongeurs

SEM B

240 mm – 9½"

DP-786-14-732

**RÖTTGEN-
RUSKIN**

230 mm – 9"

DP-786-14-733

STILLE-LUER


220 mm – 8¾"

DP-786-14-734
DP-786-14-735

Bone rongeurs



SAUERBRUCH	Fig. 1	Fig. 2
	 1:1	 1:1
300 mm - 12"	DP-786-14-736	DP-786-14-737



LUER-STILLE

270 mm - 10 $\frac{3}{4}$ "	DP-786-14-738	DP-786-14-739
-----------------------------	----------------------	----------------------




Bone cutting forceps



**COTTLE-
KAZANJIAN**

190 mm - 7½"

DP-786-14-740



LISTON

140 mm - 5½"	DP-786-14-741	DP-786-14-745
170 mm - 6¾"	DP-786-14-742	DP-786-14-746
190 mm - 7½"	DP-786-14-743	DP-786-14-747
220 mm - 8¾"	DP-786-14-744	DP-786-14-748

Bone cutting forceps

BÖHLER

150 mm - 6"


DP-786-14-749
DP-786-14-750


**RUSKIN-
LISTON**

185 mm - 7 1/4"


DP-786-14-751
DP-786-14-752

**STILLE-
LISTON**

270 mm - 10 3/4"


DP-786-14-753
DP-786-14-754
DP-786-14-755

Bone cutting forceps

SEM B

240 mm - 9½"

DP-786-14-756

1:2


LISTON-KEY HORSLEY

270 mm - 10¾"

DP-786-14-757

1:2

Bone holding clamps – Bone holding forceps



1:2

GERSTER-LOWMANN

180 mm – 7 "	x = 28 mm	DP-786-14-758
200 mm – 8 "	x = 35 mm	DP-786-14-759
220 mm – 8¾ "	x = 40 mm	DP-786-14-760




1:2

GERSTER

150 mm – 6 "
DP-786-14-761

Bone holding forceps – Reposition forceps


135 mm – 5 1/4"
 DP-786-14-762




LEWIN
 175 mm – 7"
 DP-786-14-763



140 mm – 5 1/2"
 DP-786-14-764


Bone holding clamps – Bone holding forceps



FERGUSSON

210 mm – 8 1/4"

DP-786-14-765



VAN BUREN

230 mm – 9"

DP-786-14-766

Bone holding forceps

LANGENBECK

210 mm – 8 $\frac{3}{4}$ "


DP-786-14-767

SEMB

190 mm – 7 $\frac{1}{2}$ "

DP-786-14-768

Bone holding forceps



DINGMANN

190 mm - 7½"

DP-786-14-769



200 mm - 8"

DP-786-14-770

DP-786-14-771

Sequesterum forceps

Bone holding forceps


FARABEUF

230 mm - 9"	DP-786-14-772
260 mm - 10¼"	DP-786-14-773


FARABEUF-LAMBOTTE

260 mm - 10¼"
DP-786-14-774

Bone holding forceps





Bone holding forceps

HEY GROVES

210 mm - 8 1/4 "	x = 6.5 mm	DP-786-14-778
270 mm - 10 3/4 "	x = 7.5 mm	DP-786-14-779
305 mm - 12 "	x = 8.5 mm	DP-786-14-780

Bone holding forceps

VERBRUGGE

			
175 mm - 7"	250 mm - 10"	260 mm - 10 $\frac{1}{4}$ "	270 mm - 10 $\frac{3}{4}$ "
x = 5.0 mm	x = 9.5 mm	x = 10.5 mm	x = 12.0 mm
DP-786-14-781	DP-786-14-782	DP-786-14-783	DP-786-14-784

Bone holding forceps



KERN


170 mm – 6 ³ / ₄ "	DP-786-14-785	DP-786-14-787
210 mm – 8 ¹ / ₄ "	DP-786-14-786	DP-786-14-788

Bone holding forceps



LANE

330 mm - 13 "	DP-786-14-789	DP-786-14-791
450 mm - 17 3/4 "	DP-786-14-790	DP-786-14-792

Bone holding forceps



150 mm - 6 "	x = 2.5 mm	DP-786-14-793	
190 mm - 7½ "	x = 6.5 mm		DP-786-14-794

self-centering



240 mm - 9½ "	x = 9.5 mm	DP-786-14-795	
260 mm - 10¼ "	x = 10.0 mm		DP-786-14-796


self-centering



280 mm - 11 "	x = 11.0 mm	DP-786-14-797	
---------------	-------------	----------------------	--

self-centering


Bone holding forceps



ULRICH

230 mm - 9 "	DP-786-14-798	DP-786-14-801
250 mm - 9 3/4 "	DP-786-14-799	DP-786-14-802
280 mm - 11 "	DP-786-14-800	DP-786-14-803

angular



160 mm - 6 1/4 "	DP-786-14-804
240 mm - 9 1/2 "	DP-786-14-805






LAMBOTTE

220 mm - 8 3/4 "	DP-786-14-806
270 mm - 10 3/4 "	DP-786-14-807
300 mm - 12 "	DP-786-14-808

one jaw mobile



Bone holding forceps – Reposition forceps


Reposition forceps


1:1

HAASE


165 mm - 6½"

DP-786-14-813
for mandibular fractures


1:2



1:2



1:1



1:1

95 mm - 3¾"

DP-786-14-814
DP-786-14-815


1:1

185 mm - 7¼"

DP-786-14-816
Patella forceps

1:2



1:1

210 mm - 8¼"

DP-786-14-817
Malleolar forceps

1:2

Wire instruments

DEMEL

	280 mm - 11 "
x = 32 mm	DP-786-14-818
x = 45 mm	DP-786-14-819
x = 62 mm	DP-786-14-820


DEMEL

280 mm - 11 "
DP-786-14-821

Wire instruments



LOUTE

210 mm – 8 1/4"

DP-786-14-822

1:2



130 mm – 5"

DP-786-14-823

1:2



0.2 mm Ø	DP-786-14-824
0.3 mm Ø	DP-786-14-825
0.4 mm Ø	DP-786-14-826
0.5 mm Ø	DP-786-14-827
0.6 mm Ø	DP-786-14-828
0.7 mm Ø	DP-786-14-829
0.8 mm Ø	DP-786-14-830
0.9 mm Ø	DP-786-14-831
1.0 mm Ø	DP-786-14-832
1.2 mm Ø	DP-786-14-833
1.5 mm Ø	DP-786-14-834

Bone wire, soft, in coils of 10 m



0.8 mm Ø x 280 mm	DP-786-14-835
1.0 mm Ø x 280 mm	DP-786-14-836
1.2 mm Ø x 280 mm	DP-786-14-837
1.0 mm Ø x 600 mm	DP-786-14-838
1.2 mm Ø x 600 mm	DP-786-14-839

Bone wire with eye, soft, package of 10 pieces

Wire cutting forceps

220 mm – 8 $\frac{3}{4}$ "

DP-786-14-840
for hard wires up to 2.5 mm Ø

220 mm – 8 $\frac{3}{4}$ "

DP-786-14-841
for hard wires up to 2.2 mm Ø


230 mm – 9"

DP-786-14-842
for hard wires up to 2.2 mm Ø

Wire cutting forceps


180 mm - 7"

DP-786-14-843
for hard wires up to 1.5 mm Ø


180 mm - 7"

DP-786-14-844
for hard wires up to 1.5 mm Ø


150 mm - 6"

DP-786-14-845
for hard wires up to 1 mm Ø


145 mm - 5¾"

DP-786-14-846
for hard wires up to 1 mm Ø

Wire cutting forceps


570 mm - 22 1/2" **DP-786-14-847**

for Kirschner wires and Steinmann pins up to 6 mm Ø

1:3

Wire cutting forceps



185 cm - 7 $\frac{1}{4}$ "

DP-786-14-848

Wire cutting forceps for hard wires up to 1.6 mm Ø



260 mm - 10 $\frac{1}{4}$ "

DP-786-14-849

for hard wires up to 3 mm Ø

Technical forceps



130 mm - 5"	DP-786-14-850
180 mm - 7"	DP-786-14-851



140 mm - 5½"	DP-786-14-852
170 mm - 6¾"	DP-786-14-853



	180 mm - 7"	180 mm - 7"
x = 5 mm	DP-786-14-854	DP-786-14-856
x = 7 mm	DP-786-14-855	DP-786-14-857

Technical forceps


170 mm - 6 $\frac{3}{4}$ "

DP-786-14-858



220 mm - 8 $\frac{3}{4}$ "

DP-786-14-859

Grip forceps, combined with TC-Cutter



190 mm - 7 $\frac{1}{2}$ "

DP-786-14-860

Technical forceps, adjustable

Technical forceps



185 mm - 7 1/4"	DP-786-14-861
-----------------	----------------------

Flat nose plier



185 mm - 7 1/4"	DP-786-14-862
-----------------	----------------------

Flat nose plier, parallel grip, incorporated cutter, for hard wires up to 1.6 mm Ø



180 mm - 7"	DP-786-14-863
200 mm - 8"	DP-786-14-864
240 mm - 9 1/2"	DP-786-14-865

Locking plier

Technical forceps


	a	b	c
DP-786-14-866	220 mm	4,5 mm	54 mm
DP-786-14-867	250 mm	5,5 mm	66 mm
DP-786-14-868	300 mm	7,0 mm	78 mm

Locking plier, only

300 mm – 12"	DP-786-14-869
--------------	----------------------

Locking plier with holding pins

460 mm – 18"	DP-786-14-870
--------------	----------------------

Locking plier with extraction device

Technical forceps


200 mm - 8"

DP-786-14-871

Plate bending plier for plates up to 2.7 mm

240 mm - 9½"

DP-786-14-872

Plate bending plier for plates up to 4 mm




Please ask for our special catalogue for traumatology.

Extension bows



DP-786-14-873 180 mm - 7"
Wire strainer for Kirschner wires



KIRSCHNER

x = 95 mm	y = 70 mm	DP-786-14-874
x = 100 mm	y = 100 mm	DP-786-14-875
x = 120 mm	y = 120 mm	DP-786-14-876
x = 155 mm	y = 155 mm	DP-786-14-877
x = 200 mm	y = 155 mm	DP-786-14-878

with 3 traction hooks



KIRSCHNER

x = 130 mm	DP-786-14-879
x = 185 mm	DP-786-14-880
x = 220 mm	DP-786-14-881


with 3 traction hooks

Extension bows

KIRSCHNER

x = 180 mm	y = 100 mm	DP-786-14-882
x = 270 mm	y = 160 mm	DP-786-14-883

with 3 traction hooks


BÖHLER

x = 75 mm	y = 90 mm	DP-786-14-884
x = 90 mm	y = 160 mm	DP-786-14-885
x = 110 mm	y = 210 mm	DP-786-14-886
x = 150 mm	y = 210 mm	DP-786-14-887



14 mm / 17 mm	DP-786-14-888
---------------	-------------------------------

Wrench

Amputation retractor – Comprimeter



PERCY

DP-786-14-889

Handles detachable, simple pattern



DP-786-14-890

Comprimeter, consisting of arm and upper thigh cuff, manometer calibrated up to 700 mm Hg, with metal pump

Hand drills



Light metal housing

1:2

BUNELL

160 mm - 6 1/4"

DP-786-14-891

Opening up to 4 mm Ø



Light metal housing

1:2

RALK

160 mm - 6 1/4"

DP-786-14-892

Opening up to 6.35 mm Ø

DP-786-14-893

Hand drills



STILLE

200 mm – 8"

DP-786-14-906

complete with 9 twist drills (Fig. 1 – Fig. 9)



Fig. 1	Fig. 2	Fig. 3	Fig. 4	Fig. 5
2.5 mm Ø	3.0 mm Ø	3.5 mm Ø	4.0 mm Ø	10.0 mm Ø
DP-786-14-894	DP-786-14-895	DP-786-14-896	DP-786-14-897	DP-786-14-898



Fig. 6	Fig. 7	Fig. 8	Fig. 9
5.0 mm Ø	8.0 mm Ø	12.0 mm Ø	16.0 mm Ø
DP-786-14-899	DP-786-14-900	DP-786-14-901	DP-786-14-902



Fig. 10	Fig. 11	Fig. 12
1.0 mm Ø	1.5 mm Ø	2.0 mm Ø
DP-786-14-903	DP-786-14-904	DP-786-14-905

Hand drills



JACOBS

280 mm - 11"

DP-786-14-907

Opening up to 6.35 mm Ø



280 mm - 11"

DP-786-14-908

Hand drill, stainless, adjustable handle, with "Jacobs"-chuck and key



Please ask for our special catalogue about battery powered "MOBI Power Tools".

Twist drills – Reamers

PERTHES

180 mm – 7"	DP-786-14-930
210 mm – 8 1/4"	DP-786-14-931

1.0 mm Ø		DP-786-14-918
1.5 mm Ø		DP-786-14-919
2.0 mm Ø	DP-786-14-909	DP-786-14-920
2.5 mm Ø	DP-786-14-910	DP-786-14-921
2.8 mm Ø		DP-786-14-922
3.0 mm Ø	DP-786-14-911	DP-786-14-923
3.2 mm Ø	DP-786-14-912	DP-786-14-924
3.5 mm Ø	DP-786-14-913	DP-786-14-925
4.0 mm Ø	DP-786-14-914	DP-786-14-926
5.0 mm Ø	DP-786-14-915	DP-786-14-927
6.0 mm Ø	DP-786-14-916	DP-786-14-928
7.0 mm Ø	DP-786-14-917	DP-786-14-929

AO shank
Round shank


140 mm – 5 1/2"
DP-786-14-932



140 mm – 5 1/2"
DP-786-14-933